

## Radiometric Performance Assessment of the RapidEye Constellation\_2010

Joint Civil Commercial Imagery Evaluation Workshop Boulder Marriott, Boulder, Colorado\_ 29-31 March 2011

Denis Naughton, Dr. Andreas Brunn, Michael Thiele Calibration & Validation Group RapidEye AG, Brandenburg an der Havel, Germany

RapidEye AG | www.rapideye.de March 7, 2011

#### Outline



- Acknowledgments
- 2009 Vicarious Calibration Campaign Summary
- 2010 Verification Events
- Current Radiometric Accuracy Assessment
- 2011 Radiometric Calibration Activities

### Acknowledgments



 Dr. Jeff Czapla-Myers and the members of the Remote Sensing Group, College of Optical Sciences, University of Arizona

 Dr. Brian D'Souza, Mr. Harald Konstanski, Mr. Michael Oxfort, Mr. Scott Douglass, Dr. Horst Weichelt, Mr. Cody Anderson, RapidEye AG

# Reflectance based vicarious calibration campaign\_ 2009 (1)




- Ten field events were conducted at Railroad Valley Playa and Ivanpah Playa by the Remote Sensing Group, College of Optical Sciences, University of Arizona in 2009-2010
- Simultaneous overpasses with RE3 and RE4 and opportunistic acquisitions with other sensors (RE2, RE5)
  - RE1 not included in campaign due to operational priorities
- Compare in-band measured at-sensor spectral reflectance to top-of-atmosphere (TOA) predicted values


# Reflectance based vicarious calibration campaign\_ 2009 (2)




 RapidEye sensor response was within 7.5% (worst case) of TOA predictions



RE4\_20 May\_2009 Red-Edge Band\_IVP Playa



RE3\_07 June\_2009 Red Band\_RRV Playa



# Reflectance based vicarious calibration campaign\_ 2009 (3)




 Absolute calibration of RE3 and RE4 combined with relative radiometric calibration of the constellation (requirement for each sensor to be within +/- 2.5% of constellation baseline) transfers absolute radiometric uncertainty to each sensor

 2009 results led to adjustment of ground segment processing parameters to improve the in-band response for each RapidEye sensor

### Verification Events\_2010 (1)




- Three post 2009 campaign verification events were conducted between April and May 2010
- RapidEye response was found to be within ~ 4% (worst case) of TOA predictions




### Verification Events\_2010 (2)



 Relative radiometric response was assessed from images acquired using Tuz Golu calibration site in August as part of CEOS Sensor Cal Event 2010\*



RE5\_17 August\_2010 Red Band\_Tuz Golu, Turkey



<sup>\*</sup>http://calvalportal.ceos.org

## Current Radiometric Assessment



 RapidEye sensors remained calibrated in an absolute sense to within ~4% of TOA predictions through August 2010

- Operational monitoring indicates that the sensors remain calibrated to within +/-2.5 % in a relative sense
  - Confirmed by USGS in a separate 2010 study using RapidEye Level 3A Libya 4 image data

### Calibration Activities\_2011



- Reflectance based vicarious calibration campaign with RSG using RRVP and IVPP
  - Two field events coupled with simultaneous overpasses for <u>each</u> sensor
  - Opportunistic acquisitions with other spacecraft around the dates of the field events (+/- 2 days)
- Comparison of RapidEye to Landsat
  - Ongoing study with USGS using N. Africa and Sonoran Desert sites
- Spatial Calibration Enhancement
  - Investigate feasibility of side-slither using multiple terrestrial sites and the moon

#### Questions



#### Ajka, Hungary\_October 2010





Denis Naughton RapidEye AG Molkenmarkt 30 14776 Brandenburg an der Havel, Germany

Tel: +49 3381 8904 404

Email: naughton@rapideye.de